


# Features and benefits

## Standard colors

Can be stacked


Width: single (18"), double (36") or triple (54")

Depths: 21" or 27"




**PATENTED**

Patented system of dividers & clip-in partitions and plastic boxes (optional)



Lock-in mechanism prevents drawers from accidentally opening when mobile (optional)




L3ABD-3442L3C


Heavy-duty central locking on the cabinet (optional)

Cabinet heights: 24", 28", 30", 34" and 40"

Drawer heights: 3", 4", 5", 6", 8" and 12"



Full-height drawers maximize space



100% extension in both depths

Fixed: 2" or 4" bases  
Mobile: 4" or 6" casters

	Avalanche Blue 055
	Everest Blue 051
	Classic Blue 052
	Midnight Blue 057
	Glossy Sapphire Blue 560
	Boreal Green 102
	Glossy EverGreen 1025
	Black 091
	Glossy Black 902
	Frost White 061
	Light Gray 071
	Modern Gray 745
	Charcoal Gray 072
	Glossy Yellow 208
	Sienna Orange 085
	Flame Red 081
	Glossy Carmine Red 806
	Glossy Cranberry Red 815
	White 616
	Beige 041

Colors may vary slightly from those shown.

# "L" Compact Cabinet




## The Rousseau Advantages

**PATENTED**



100 lb. capacity per drawer.  
100% drawer extension in both drawer depths.




Partitions and dividers are clipped in.



Variety of drawer accessories available: full-depth partitions, dividers, plastic bins, hanging file holders, foam for protection, etc.



Central lock on the cabinet housing.



6 drawer heights available: 3", 4", 5", 6", 8" and 12".



The Rousseau drawer rolling mechanism is covered by a lifetime warranty.

## "L" COMPACT CABINET

The new "L" Compact Cabinet has been developed to better meet our clients' needs in terms of dimensions offered, drawer configurations and accessories available for a compact cabinet.

The "L" Compact Cabinet is available in 18" wide, two different depths; 21" and 27". Five cabinet heights are available; 24", 28", 30", 34" and 40". A choice of base (2" or 4") in painted steel or stainless steel is also possible for raising cabinet height a bit or to free up foot room. A new security system allows you to lock all of the drawers with one central lock.

The drawers come in a choice of 6 different heights from 3" to 12" and can be accessorized with partitions, dividers and plastic bins for the best possible organization of your parts. Each drawer has a 100 lb. capacity and ergonomic handles that are easy to grip and look good.

The unique shape of the "L" drawer is a Rousseau Metal Inc. Trademark and we own a design patent on the "L" drawer.

The "L" Compact Cabinet is an excellent alternative to the "R" Heavy-Duty version. Take the time to learn more in the following pages.



L3ABD-2418L3C

L3ABD-3442L3C

# Proposals – Cabinets

Here are some examples of "L" Compact Cabinet proposals:

Doors are factory installed with hinges on the left. Upon request, doors can be installed with hinges on the right; To order a lock on the cabinet housing (for models with more than one drawer) or on the door, complete the product number with L3;

To order a cabinet with a 4" base complete the product number with C for painted steel base and D for stainless steel base. Ex.: L3ABD-2401L3C for a 18" x 21" x 24" cabinet, 4 drawers, with lock and 4" base in painted steel.

**IMPORTANT**  
*Drawer layouts are included with the proposals. See chart to the left for the number of compartments.*



Drawer dimensions	Number of Compartments (layout code)	
	18" x 21"	18" x 27"
3" to 5"	9 (0206)	9 (0206)
6" and 8"	6 (0104)	6 (0104)
12"	4 (0102)	4 (0102)

**NOTE**  
*For models without drawer layouts, change the last 2 numbers of the model to the next sequential even number.  
 Ex.: L3ABD-2401 with L3ABD-2402 without*

## 24" High



4 drawers  
 L3ABD-2401\_\_ 18" x 21" x 24"  
 L3ABG-2401\_\_ 18" x 27" x 24"



4 drawers  
 L3ABD-2403\_\_ 18" x 21" x 24"  
 L3ABG-2403\_\_ 18" x 27" x 24"



4 drawers  
 L3ABD-2405\_\_ 18" x 21" x 24"  
 L3ABG-2405\_\_ 18" x 27" x 24"



3 drawers  
 L3ABD-2407\_\_ 18" x 21" x 24"  
 L3ABG-2407\_\_ 18" x 27" x 24"



4 drawers  
 L3ABD-2409\_\_ 18" x 21" x 24"  
 L3ABG-2409\_\_ 18" x 27" x 24"



1 door/1 shelf  
 L3ABD-2412\_\_ 18" x 21" x 24"  
 L3ABG-2412\_\_ 18" x 27" x 24"



3 drawers  
 L3ABD-2421\_\_ 18" x 21" x 24"  
 L3ABG-2421\_\_ 18" x 27" x 24"



3 drawers  
 L3ABD-2415\_\_ 18" x 21" x 24"  
 L3ABG-2415\_\_ 18" x 27" x 24"



4 drawers  
 L3ABD-2417\_\_ 18" x 21" x 24"  
 L3ABG-2417\_\_ 18" x 27" x 24"



5 drawers  
 L3ABD-2419\_\_ 18" x 21" x 24"  
 L3ABG-2419\_\_ 18" x 27" x 24"

## 28" High



4 drawers  
 L3ABD-2801\_\_ 18" x 21" x 28"  
 L3ABG-2801\_\_ 18" x 27" x 28"



4 drawers  
 L3ABD-2807\_\_ 18" x 21" x 28"  
 L3ABG-2807\_\_ 18" x 27" x 28"



2 drawers  
 L3ABD-2809\_\_ 18" x 21" x 28"  
 L3ABG-2809\_\_ 18" x 27" x 28"



3 drawers  
 L3ABD-2811\_\_ 18" x 21" x 28"  
 L3ABG-2811\_\_ 18" x 27" x 28"



4 drawers  
 L3ABD-2819\_\_ 18" x 21" x 28"  
 L3ABG-2819\_\_ 18" x 27" x 28"



6 drawers  
 L3ABD-2821\_\_ 18" x 21" x 28"  
 L3ABG-2821\_\_ 18" x 27" x 28"



3 drawers  
 L3ABD-2803\_\_ 18" x 21" x 28"  
 L3ABG-2803\_\_ 18" x 27" x 28"



2 doors/1 shelf  
 L3ABD-2828\_\_ 18" x 21" x 28"  
 L3ABG-2828\_\_ 18" x 27" x 28"



1 drawer/1 door  
 L3ABD-2829\_\_ 18" x 21" x 28"  
 L3ABG-2829\_\_ 18" x 27" x 28"



4 drawers  
 L3ABD-2835\_\_ 18" x 21" x 28"  
 L3ABG-2835\_\_ 18" x 27" x 28"

# Proposals – Cabinets

## 34" High



5 drawers  
 L3ABD-3403 18" x 21" x 34"  
 L3ABG-3403 18" x 27" x 34"



4 drawers  
 L3ABD-3407 18" x 21" x 34"  
 L3ABG-3407 18" x 27" x 34"



1 drawer/1 door/1 shelf  
 L3ABD-3411 18" x 21" x 34"  
 L3ABG-3411 18" x 27" x 34"



5 drawers  
 L3ABD-3415 18" x 21" x 34"  
 L3ABG-3415 18" x 27" x 34"



5 drawers  
 L3ABD-3419 18" x 21" x 34"  
 L3ABG-3419 18" x 27" x 34"



4 drawers  
 L3ABD-3421 18" x 21" x 34"  
 L3ABG-3421 18" x 27" x 34"



6 drawers  
 L3ABD-3405 18" x 21" x 34"  
 L3ABG-3405 18" x 27" x 34"



1 door/1 shelf  
 L3ABD-3436 18" x 21" x 34"  
 L3ABG-3436 18" x 27" x 34"



6 drawers  
 L3ABD-3437 18" x 21" x 34"  
 L3ABG-3437 18" x 27" x 34"




4 drawers  
 L3ABD-3447 18" x 21" x 34"  
 L3ABG-3447 18" x 27" x 34"


## 40" High



6 drawers  
 L3ABD-4005 18" x 21" x 40"  
 L3ABG-4005 18" x 27" x 40"



5 drawers  
 L3ABD-4047 18" x 21" x 40"  
 L3ABG-4047 18" x 27" x 40"




8 drawers  
 L3ABD-4011 18" x 21" x 40"  
 L3ABG-4011 18" x 27" x 40"



4 drawers/1 door/1 shelf  
 L3ABD-4015 18" x 21" x 40"  
 L3ABG-4015 18" x 27" x 40"



3 drawers/1 door  
 L3ABD-4017 18" x 21" x 40"  
 L3ABG-4017 18" x 27" x 40"




3 drawers  
 L3ABD-4007 18" x 21" x 40"  
 L3ABG-4007 18" x 27" x 40"




6 drawers  
 L3ABD-4025 18" x 21" x 40"  
 L3ABG-4025 18" x 27" x 40"



7 drawers  
 L3ABD-4027 18" x 21" x 40"  
 L3ABG-4027 18" x 27" x 40"



6 drawers  
 L3ABD-4029 18" x 21" x 40"  
 L3ABG-4029 18" x 27" x 40"



6 drawers  
 L3ABD-4031 18" x 21" x 40"  
 L3ABG-4031 18" x 27" x 40"

# Accessories

## Security Accessories

### Electronic Lock System

L50



Allows user to electronically lock all drawers in the cabinet at the same time;  
 No key required;  
 Up to 20 different users can be programmed;  
 4-8 digit access codes;  
 Simplifies managing access to drawers;  
 To order the complete mechanism with a drawer cabinet, order a LB00-DDHHL50;  
 To order as a replacement lock, order a HA60-L50.

SEE PAGE 225

**Product #**  
L50



L3ABD-2880

### Drawer Lock



2 keys provided with each lock;  
 Compatible with all drawer dimensions;  
 The mechanism (covered by a galvanized box) requires 3" W x 1" D inside the drawer;  
 For replacement parts or to retrofit this mechanism, order HA51-L3;  
 Order by adding L3 to drawer or partitioning proposal number. Ex.: LF31-182106L3;  
 Note : A security panel LF91 must be ordered to block access between two drawers if managing two different users.

KA, KD or MK  
SEE PAGE 224

**Product #**  
L3

### Door Lock



2 keys provided with each lock;  
 To order a lock, complete the door number by L3. Ex.: LB30-1812L3;  
 To order a safety hasp, complete the door number by LP. Ex.: LB30-1812LP;  
 For replacement parts or to retrofit this mechanism, order HA49-L3 or HA49-LP;  
 Note: A security panel LF91 must be ordered to block access between two doors if managing two different users.

KA, KD or MK  
SEE PAGE 224

**Product #**

L3	Lock
LP	Safety hasp

### Central Locking Mechanism



Allows user to lock all drawers in the cabinet at the same time;  
 Easy to retrofit;  
 Possible to change drawer layout without touching locking mechanism;  
 To order a lock, complete the product housing number or the proposal cabinet number by L3. Ex.: LA30-182134L3;  
 To order a safety hasp for padlock, complete the housing number with LP. Ex.: LA30-182134LP;  
 For replacement parts or to retrofit this mechanism, order LB00-DDHH\_ and specify L3 or LP.

KA, KD or MK  
SEE PAGE 224

**Product #**

L3	Lock
LP	Safety hasp

### Lock-In Mechanism



Activated by sliding the mechanism with thumb;  
 Drawer closes without having to reactivate the slide mechanism;  
 Stops drawers from opening on their own;  
 Easy to retrofit;  
 Order by adding B to the drawer or partitioning number. Ex.: LF31-182106B;  
 For replacement parts or to retrofit this mechanism, order LY02.

**Product #**  
B

## Drawer and Handle Accessories

### Handle Protector

LF70



Installs on drawer handle by clipping in place;  
 Made of transparent plastic;  
 Protects identification labels from dust, grease and dirt;  
 Easy to remove;  
 Note: Labels available. Order LF71-425075.

**Product #**  
LF70-18

### Labels

LF71



Labels designed to be inserted on handles under the handle protector (LF70);  
 30 labels per page (10 pages);  
 Print the labels of your choice. A template is available at rousseaumetal.com in the Documents (Information Center).

**Product #**  
LF71-425075

## Folder Hanging Bars

LG31



For storing hanging folders;  
Can be used for both letter and legal sizes;  
Designed for 12" drawers.

**Product #**  
LG31-18

## Foam for Tools

LG42



Oil resistant and non-absorbent;  
1 blue foam ¼" thick;  
1 black self-adhesive ½" thick foam;  
Sold without cut-outs. May be cut using a utility knife.

Product #	For Drawer
LG42-1821-01	18" W x 21" D
LG42-1827-01	18" W x 27" D

## PVC Drawer Liner

LG40




Protects stored objects;  
Non-skid surface;  
Can be installed under partitions and dividers;  
Thickness: 3/32".

Product #	For Drawer
LG40-1821-01	18" W x 21" D
LG40-1827-01	18" W x 27" D

## Foam for Protection

LG41



Protects stored objects;  
Blue foam ¼" thick.

Product #	For Drawer
LG41-1821-01	18" W x 21" D
LG41-1827-01	18" W x 27" D

**NOTE** Partitions and dividers may not be installed with this foam.

## Front to Back Partition



LG02




Used to divide the drawer along its depth;  
Clip system locks dividers in place;  
Galvanized steel;  
RG10 dividers can be used in between partitions to make smaller compartments;  
Compatible with plastic bins and PVC drawer liners.

## Plastic Bin



RG20



Simplify storing, moving and managing small parts. Lightweight and resistant;  
Designed for 3" and 4" high drawers;  
45° angle for easy identification of bin contents and removal of bins;  
Compatible with partitions and dividers;  
6" plastic bins can be subdivided.



**NOTE** Height 2" = 1 ½" real  
Height 3" = 2 ½" real

Drawer Depth Nominal (real)	Drawer Height		
	3" 1 5/8" high	4" 2 5/8" high	5" 3 5/8" high
21" (18")	LG02-2103	LG02-2104	LG02-2105
27" (24")	LG02-2703	LG02-2704	LG02-2705


Drawer Depth Nominal (real)	Drawer Height		
	6" 4 5/8" high	8" 6 5/8" high	12" 8 5/8" high
21" (18")	LG02-2106	LG02-2108	LG02-2110
27" (24")	LG02-2706	LG02-2708	LG02-2710

Dimensions			Product #		
W	D	H	Bin	Partition	Divider
3"	3"	2"	RG20-030302	-	-
4"	3"	2"	RG20-040302	-	-
6"	3"	2"	RG20-060302	RG22-0302	-
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602
3"	3"	3"	RG20-030303	-	-
4"	3"	3"	RG20-040303	-	-
6"	3"	3"	RG20-060303	RG22-0303	-
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603

## Drawer Divider



RG10



Clip in place;  
45° angle for identifying compartment contents;  
Adjustable every 3" (c/c).

Divider Width Nominal	Drawer Height					
	3" 1 5/8" high	4" 2 5/8" high	5" 3 5/8" high	6" 4 5/8" high	8" 6 5/8" high	12" 8 5/8" high
3"	RG10-03003	RG10-03004	RG10-03005	RG10-03006	RG10-03008	RG10-03010
5"	RG10-05003	RG10-05004	RG10-05005	RG10-05006	RG10-05008	RG10-05010
6"	RG10-06003	RG10-06004	RG10-06005	RG10-06006	RG10-06008	RG10-06010
7 ½"	RG10-07503	RG10-07504	RG10-07505	RG10-07506	RG10-07508	RG10-07510
9"	RG10-09003	RG10-09004	RG10-09005	RG10-09006	RG10-09008	RG10-09010
10"	RG10-10003	RG10-10004	RG10-10005	RG10-10006	RG10-10008	RG10-10010
12"	RG10-12003	RG10-12004	RG10-12005	RG10-12006	RG10-12008	RG10-12010
15"	RG10-15003	RG10-15004	RG10-15005	RG10-15006	RG10-15008	RG10-15010

# Accessories

## Cabinet Tops

### Resistant Acrylic/PVC Plastic Laminated Top WS08



Ideal for assembly stations or for applications using solvents, oils or other chemical products;  
 Thickness: 1 ½";  
 Core made of particle board;  
 Finish: sheet of gray polymer;  
 Deluxe quality laminated top;  
 Excellent chemical product resistance (can be in prolonged contact with a substance);  
 Superior abrasion resistance compared to standard laminated top;  
 Superior impact resistance compared to standard laminated top;  
 Attractive appearance.

### Laminated Hardwood Top WS14



Top for general industrial applications;  
 Thickness: 1 ¾";  
 Made with varnished hardwood slats;  
 90° radius front edge for more comfort;  
 Good impact resistance;  
 Attractive appearance.

### Plastic Laminated Top WS16



Top for general applications. Ideal for assembly, quality control and packaging applications;  
 Thickness: 1 ½";  
 Color: White;  
 Attractive appearance;  
 Easy to clean;  
 90° radius front edge for more comfort.

### Steel Top with Rubber Mat RC32



Non-slip rubber surface;  
 Sides and back formed with a double fold, 1" high.

### Stainless Steel Top RC35



Serves as a work surface and protects cabinet against impact;  
 Composite wood top with stainless steel cover (brushed finish #4);  
 Excellent corrosion and chemical resistance;  
 The top respects the CARB regulations on formaldehyde emissions;  
 Welded corner for attractive look;  
 Thickness: 1 ¾".

### Painted Steel Top RC37



Serves as a work surface and protects cabinet against impacts;  
 Composite wood top with painted steel cover;  
 The top respects the CARB regulations on formaldehyde emissions;  
 Welded corners for attractive look;  
 Thickness: 1 ¾".

### Dissipative Top WS17



Top for electronics applications. Ideal for assembly or electronics inspection stations;  
 Thickness: 1 ½";  
 Color: White;  
 Attractive appearance;  
 Easy to clean;  
 90° radius front for more comfort;  
 Dissipates electric charges that can damage electronic components;  
 Resistance point to point and point to ground between 10<sup>6</sup> and 10<sup>9</sup> Ω.

Dimensions		Types of top						
W	D	Acrylic/PVC Plastic Laminated	Laminated Hardwood	Plastic Laminated	Dissipative	Steel Top with Rubber Mat	Stainless Steel	Painted Steel
18"	21"		WS14-1821A*	WS16-1821A*		RC32-1821-01	RC35-1821	RC37-1821
	27"		WS14-1827A*	WS16-1827A*		RC32-1827-01	RC35-1827	RC37-1827
36"	21"	WS08-3621A*	WS14-3621A*	WS16-3621A*	WS17-3621A*	RC32-3621-01	RC35-3621	RC37-3621
	27"	WS08-3627A*	WS14-3627A*	WS16-3627A*	WS17-3627A*	RC32-3627-01	RC35-3627	RC37-3627
54"	21"	WS08-5421A*	WS14-5421A*	WS16-5421A*	WS17-5421A*	RC32-5421-01	RC35-5421	RC37-5421
	27"	WS08-5427A*	WS14-5427A*	WS16-5427A*	WS17-5427A*	RC32-5427-01	RC35-5427	RC37-5427

**NOTE** \* Please check with your customer service representative for lead time.

## ESD Protection

### ESD Cabinet

LC50




Allows for the safe storage of electronic components;  
 Special paint dissipates electric charges;  
 Grounding cord and ground wrist strap socket are included. Cord resistance is 1 M Ω;  
 To order a cabinet with ESD protection, please order a LC50-01 grounding kit and specify dissipative paint color Black 090.

Product #
LC50-01

**NOTE** Contact customer service for ESD paint prices.


### Grounding Wrist Strap



Made of stretch material;  
 Comes with a 6" cord with 1M Ω resistance;  
 Dissipates electric charges that may damage electronic components.

Product #
70000320

### Conductive Plastic Bins



SEE PAGE 188

### Dissipative Top




SEE PAGE 30

## Bases

### Leveling Glide Kit

LA74




Used to stabilize a cabinet installed from 1 1/8" to 2" on an uneven surface;  
 Can be installed under cabinets with or without bases;  
 Includes 2 supports and 4 leveling glides.

Product #	Width
LA74-1801	18"

### Floor Anchoring Kit

LA76



Top view


Used to anchor a cabinet (without base) to the floor;  
 Includes 1 bolt for concrete floors.

Product #	Width
LA76-1801	18"

## Stacking Cabinets

### Stacking Kit

LA78



Designed for stacking two "L" compact cabinets;  
 Used at the bottom of the upper cabinet;  
 Includes: 2 supports and hardware for anchoring.

Product #	Width
LA78-1801	18"




L3XJD-2802L3



## Cabinet Base

LA85 / LA86




Painted steel: LA85;  
 Stainless steel: LA86;  
 Available heights: 2" and 4";  
 2" recessed clearance;  
 Compatible with LA74 leveling glide kit;  
 Order by specifying the type of finish.  
 Ex.: LA86-182704 for a 18" W x 27" D x 4" H stainless steel base;  
 Note: not compatible with floor anchoring kit (LA76), stacking kit (LA78) and casters.

Product #	W x D x H
LA__-182102	18" x 21" x 2"
LA__-182104	18" x 21" x 4"
LA__-182702	18" x 27" x 2"
LA__-182704	18" x 27" x 4"

## Housing for Drawer Unit

LD75




Installed on a cabinet or under a work surface;  
 100 lb. capacity for each drawer in the unit for a maximum of 175 lb. per unit;  
 Compatible with LF31 compact drawer (not included);  
 Order by adding drawer unit housing depth, 21" or 27" deep.

Product #	Inside Dim.
LD75-18__09	6"
LD75-18__12	9"
LD75-18__15	12"

## Integrated Door

LB30




7 standard heights;  
 Handle fitted in plastic. Color: black;  
 Door are factory installed with hinges on the left side. They may be installed on the right side, upon request;  
 Shelf LB24 must be ordered as storage surface for doors installed above a drawer or another door;  
 For central locking mechanism, complete the product number with L3;  
 For hasp for padlock, complete the product number with LP.

Product #	W x H
LB30-1812__	18" x 12"
LB30-1818__	18" x 18"
LB30-1820__	18" x 20"
LB30-1824__	18" x 24"
LB30-1826__	18" x 26"
LB30-1830__	18" x 30"
LB30-1836__	18" x 36"

## Drawer Unit Cover

LD76




Used to cover the top of the LD75 drawer unit when installed on the work surface.

Product #	W x D
LD76-1821	18" x 21"
LD76-1827	18" x 27"

## Vertical Security Bar

LB10




Locks a bank of drawers in cabinet with either a key or a padlock;  
 Safety hasp for padlock is located at the top of the bar to facilitate access;  
 Covers a bank of drawers from 20" to 36";  
 Easy assembly;  
 Installs on the right side;  
 Order by specifying the type of lock.  
 Complete with LP for a safety hasp or with L3 for a standard lock.

Product #	Cabinet Height	Vertical Security Bar Height
LB10-24__A	24"	20"
LB10-28__A	28"	24"
LB10-30__A	30"	26"
LB10-34__A	34"	30"
LB10-40__A	40"	36"

## Adjustable Shelf

LB24




For storing larger, bulkier items;  
 Equipped with edges along sides and back;  
 Adjustable in height every 1" c/c;  
 Capacity up to 100 lb. evenly distributed load;  
 2 versions of the adjustable shelf are possible depending on if the housing is equipped with a central locking mechanism;  
 Made in galvanized steel;  
 Order by adding the housing depth; 21" or 27".

Product #	For LA30
LB24-18__01	With L3/LP on the housing
LB24-18__02	Without L3/LP on the housing

## Security Panel

LF91



Allows for the cabinet to be divided up for more than one user;  
 Adjustable at every 1" c/c;  
 Must be ordered to:  
 - Block access between drawers  
 - Block access when a door with lock is installed under a drawer  
 - Block space when a door is installed above a drawer.

2 versions of the security panel are possible depending on if the housing is equipped with a central locking mechanism;  
 Made in galvanized steel;  
 Order by adding the housing depth; 21" or 27".

Product #	For LA30
LF91-18__01	With L3/LP on the housing
LF91-18__02	Without L3/LP on the housing

Distributed by:  
 Custom Equipment Company  
 866-333-0728  
 sales@custommhs.com  
 www.custommhs.com