

## 2 Shelf 1,200 lb Mobile Tables

### Model LB - Heavy duty transporter between work areas

1,200 LB CAP.\* (\*800 lb with T5 casters)



**Options:**

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Vinyl matting on top shelf - **Code VM**
- Tubular push handle - **Code PH**
- Other heights available.

**Product Features:**

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on both shelves.
- Clearance between shelves - 20".
- Overall height - 30".
- Powder coated gray finish.

**SPECIFICATIONS**

WxL (in)	5" Casters Models			Wgt. (lbs)	
	Urethane	Thermorubber	Steel		
18 x 24	LB124-U5	LB124-T5	LB124-L5	70	
	30 LB130-U5	LB130-T5	LB130-L5	78	
	36 LB136-U5	LB136-T5	LB136-L5	86	
	48 LB148-U5	LB148-T5	LB148-L5	100	
24 x 24	LB224-U5	LB224-T5	LB224-L5	84	
	30 LB230-U5	LB230-T5	LB230-L5	94	
	36 LB236-U5	LB236-T5	LB236-L5	104	
	48 LB248-U5	LB248-T5	LB248-L5	124	
60	LB260-U5	LB260-T5	LB260-L5	146	
	72 LB272-U5	LB272-T5	LB272-L5	166	
	30 x 36	LB336-U5	LB336-T5	LB336-L5	122
		48 LB348-U5	LB348-T5	LB348-L5	146
60 LB360-U5		LB360-T5	LB360-L5	172	
72 LB372-U5		LB372-T5	LB372-L5	196	
36 x 48	LB448-U5	LB448-T5	LB448-L5	170	
	60 LB460-U5	LB460-T5	LB460-L5	200	
	72 LB472-U5	LB472-T5	LB472-L5	228	

## Open Bottom Frame 1,200 lb Mobile Tables

### Model LV - Heavy duty transporter between work areas

1,200 LB CAP.\* (\*800 lb with T5 casters)



**Options:**

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Vinyl matting on top shelf - **Code VM**
- Tubular push handle - **Code PH**
- Other heights available.

**Product Features:**

- All welded construction (except casters).
- Durable **12 gauge steel shelf**, 3/16" thick angle corners & lower frame, and 12 gauge caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" top shelf lips down (flush).
- Overall height - 30".
- Powder coated gray finish.

**SPECIFICATIONS**

WxL (in)	5" Casters Models			Wgt. (lbs)	
	Urethane	Thermorubber	Steel		
18 x 24	LV124-U5	LV124-T5	LV124-L5	64	
	30 LV130-U5	LV130-T5	LV130-L5	70	
	36 LV136-U5	LV136-T5	LV136-L5	76	
	48 LV148-U5	LV148-T5	LV148-L5	86	
24 x 24	LV224-U5	LV224-T5	LV224-L5	72	
	30 LV230-U5	LV230-T5	LV230-L5	84	
	36 LV236-U5	LV236-T5	LV236-L5	88	
	48 LV248-U5	LV248-T5	LV248-L5	102	
60	LV260-U5	LV260-T5	LV260-L5	126	
	72 LV272-U5	LV272-T5	LV272-L5	132	
	30 x 36	LV336-U5	LV336-T5	LV336-L5	100
		48 LV348-U5	LV348-T5	LV348-L5	116
60 LV360-U5		LV360-T5	LV360-L5	132	
72 LV372-U5		LV372-T5	LV372-L5	172	
36 x 48	LV448-U5	LV448-T5	LV448-L5	130	
	60 LV460-U5	LV460-T5	LV460-L5	148	
	72 LV472-U5	LV472-T5	LV472-L5	168	

## Casters For Steel Carts

**Jamco carts offer unique twin-hole pattern caster mounts that will accept casters with 1-3/4" x 3" & 3" x 3" bolt hole patterns (unless otherwise noted).**

### Wheel Characteristics

- Phenolic - Best rollability, high strength, hardest material.
- Rubber - Best if floor has debris, quieter roll.
- Polyurethane - Best if floor conditions vary, non-marking.
- Thermorubber - Gray non-marking, soft rubber for quietest roll and best floor protection.
- Steel (semi) - High shock and impact resistant.
- Full Pneumatic - Absorbs shock and vibration, quiet movement, best for uneven floors or transporting over ridges in floors or mezzazines. Requires periodic maintenance.
- Semi Pneumatic - Same as full pneumatic without maintenance of air.

### Brakes

- Wing Brakes (Toe) - On swivel casters only, must be ordered with caster.
- Floor Lock - Mount is welded in place, makes models not returnable.

### 4 Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
U4	4 x 1-1/4	1-3/4 x 3	Polyurethane	Ball	1,200 lbs	N/A	B4
T4	4 x 1-1/4	1-3/4 x 3	Thermorubber	Ball	800 lbs	N/A	B4

### 5 Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
U5	5 x 1-1/4	1-3/4 x 3	Polyurethane	Ball	1,200 lbs	F5	B5
T5	5 x 1-1/4	1-3/4 x 3	Thermorubber	Ball	800 lbs	F5	B5
L5	5 x 1-1/4	1-3/4 x 3	Steel (semi)	Plain	1,200 lbs	F5	B5

### 7 Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
P7	5 x 2	3 x 3	Phenolic	Roller	4,000 lbs	F7	B7
R7	5 x 2	3 x 3	Rubber (Mold-on)	Roller	1,800 lbs	F7	B7
U7	5 x 2	3 x 3	Polyurethane	Roller	3,000 lbs	F7	B7
T7	5 x 2	3 x 3	Thermorubber	Roller	2,000 lbs	F7	B7
L7	5 x 2	3 x 3	Steel (semi)	Roller	4,000 lbs	F7	B7

### 6 Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
P6	6 x 2	3 x 3	Phenolic	Roller	4,800 lbs	F6	B6
R6	6 x 2	3 x 3	Rubber (Mold-on)	Roller	2,000 lbs	F6	B6
U6	6 x 2	3 x 3	Polyurethane	Roller	3,600 lbs	F6	B6
T6	6 x 2	3 x 3	Thermorubber	Roller	2,200 lbs	F6	B6
L6	6 x 2	3 x 3	Steel (semi)	Roller	4,000 lbs	F6	B6

### 8 Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
P8	8 x 2	3 x 3	Phenolic	Roller	4,800 lbs	F8	B8
R8	8 x 2	3 x 3	Rubber (Mold-on)	Roller	2,400 lbs	F8	B8
U8	8 x 2	3 x 3	Polyurethane	Roller	3,800 lbs	F8	B8
T8	8 x 2	3 x 3	Thermorubber	Roller	2,400 lbs	F8	B8
L8	8 x 2	3 x 3	Steel (semi)	Roller	4,000 lbs	F8	B8

### N Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
N8	8 x 3	3 x 3	Full Pneumatic	Roller	1,200 lbs	FN	BN
N1	12 x 4	3 x 3	Full Pneumatic	Ball	2,200 lbs	N/A	N/A
Z8	8 x 3	3 x 3	Semi Pneumatic	Ball	2,000 lbs	F8	BN

### Mill Duty Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
MP	8 x 2-1/2	3 x 3	Phenolic	Ball	7,000 lbs	ML	BM
MS	8 x 2-1/2	3 x 3	Steel	Ball	7,000 lbs	ML	BM

### Floor Lock



### 4 Series



Urethane Thermorubber

### 5 Series



Urethane Thermorubber



### Steel 7, 6, & 8 Series



Phenolic Mold On Rubber



Urethane Thermorubber



### Steel N Series



Full Pneumatic Semi Pneumatic

### Mill Duty Series



Phenolic Steel