

Distributed by: Custom Equipment Company
866-333-0728
sales@custommhs.com
www.custommhs.com

Protect valuable contents from static electricity.



DC3060-XL on ESD-Safe
DDC3000-CON Dolly

DISSIPATIVE MATERIAL - LS MATERIAL is a polypropylene material that is on the upper end of the dissipative range. The material has a surface resistance greater than or equal to 1.0×10^8 ohms, but less than 1.0×10^{11} ohms or surface resistivity greater than or equal to 1.0×10^9 ohms/square, but less than 1.0×10^{12} ohms/square. LS material has a static decay rate from 5,000 volts to 0 of less than two seconds. This material has a useful temperature range of 40°F to 225°F, with intermittent use recommended at the higher end of the temperature range. Electrical properties are affected by humidity. This material is available on a made-to-order basis only.

DISSIPATIVE MATERIAL - SD SMC MATERIAL is a thermoset polyester based material that is on the lower end of the dissipative range. The material has a surface resistance greater than or equal to 1.0×10^4 , but less than or equal to 5.0×10^8 ohms/square and a surface resistivity greater than or equal to 1.0×10^5 ohms/square, but less than or equal to 5.0×10^9 ohms/square. This material has a useful temperature range of -60°F to 250°F, is autoclavable and does not melt at high temperatures making it ideal for handling hot parts. The electrical properties of this material are permanent and unaffected by washing.

DC2035-XL (2)
with CH10LS
Cardholder



DC2025-XL (2)
on DC2060-XL
with CH10LS
Cardholder



DC1035-XL (2)

ESD-SAFE DIVIDER BOXES

Add flexibility with dividable containers. Slide-in dividers allow instant container configuration. Multi-purpose stack-only LEWISBins+ ESD-Safe Divider Box Containers can be divided into compartments on 1.25" centers with easy-to-add dividers. These dividable containers are ideal for use in commercial, industrial, electronics and healthcare markets for storage, assembly, fabrication and distribution applications.

ESD-SAFE DIVIDER BOXES

- Strong stacking ridge and innovative ribbed walls ensures high performance
- Compatible with many kinds of racking, shelving and material handling equipment
- Anti-static cardholders available for ESD-Safe identification (See pg. 39.)
- Load capacity of 40 lbs. per container
- Two optional ESD-Safe Divider Box Covers are available for added product protection

ESD-Safe Divider Box Containers

Model	Outside Dimensions L x W (in)		Inside Dimensions L x W (in)		Container Height (in)	Product Clearance (in) (with Snap- On Cover)	Weight (lb)	Volume (cu ft)	Compatible Cardholder	Carton Quantity	Full Height Short Divider	Full Height Long Divider	
	Top	Bottom	Top	Bottom									
1000 Series	DC1025-XL	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.1 x 6.5	2.5	2.4	0.5	0.07	CH30LS	24	DV0825 XL	DV1025 XL
	DC1035-XL	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.2 x 6.4	3.5	3.4	0.7	0.11	CH20LS	16	DV0835 XL	DV1035 XL
	DC1050-XL	10.8 x 8.3	9.8 x 7.3	9.3 x 6.6	9.1 x 6.4	5.0	4.9	0.9	0.16	CH10LS	16	DV0850 XL	DV1050 XL
2000 Series	DC2025-XL	16.5 x 10.9	15.5 x 9.9	14.8 x 9.2	14.7 x 9.1	2.5	2.4	1.0	0.16	CH30LS	12	DV1025 XL	DV1625 XL
	DC2035-XL	16.5 x 10.9	15.5 x 9.9	14.8 x 9.3	14.8 x 9.2	3.5	3.4	1.1	0.24	CH20LS	8	DV1035 XL	DV1635 XL
	DC2050-XL	16.5 x 10.9	15.5 x 9.9	14.9 x 9.3	14.8 x 9.3	5.0	4.9	1.4	0.36	CH10LS	8	DV1050 XL	DV1650 XL
	DC2060-XL	16.5 x 10.9	15.5 x 9.9	14.9 x 9.4	14.9 x 9.3	6.0	5.9	1.6	0.43	CH10LS	8	DV1060 XL	DV1660 XL
	DC2070-XL	16.5 x 10.9	15.5 x 9.9	15.0 x 9.3	14.8 x 9.3	7.0	6.9	1.9	0.51	CH10LS	6	DV1070 XL	DV1670 XL
	DC2080-XL	16.5 x 10.9	15.5 x 9.9	15.1 x 9.3	14.8 x 9.2	8.0	7.9	2.0	0.59	CH10LS	6	DV1080 XL	DV1680 XL
3000 Series	DC3050-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	5.0	4.9	2.8	0.79	CH10LS	4	DV1750 XL	DV2250 XL
	DC3060-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	6.0	5.9	3.0	0.97	CH10LS	4	DV1760 XL	DV2260 XL
	DC3080-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	8.0	7.9	4.0	1.32	CH10LS	4	DV1780 XL	DV2280 XL
	DC3120-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	12.0	11.9	6.0	2.00	CH10LS	3	DV17120 XL	DV22120 XL

Available Stocked Material: ● XL Conductive

ESD-Safe Snap-On Cardholders

Model	Size L x W (in)	# of Snaps	Container Compatibility
CH10LS	7.75 x 4.25	2	DC1050, DC2050, DC2060, DC2070, DC2080, DC3050, DC3060, DC3080, DC3120
CH20LS	6.50 x 2.25	2	DC1035, DC2035
CH30LS	6.50 x 1.81	2	DC1025, DC2025

ESD-Safe Divider Box Covers

Fits Container	Cover Style	Cover Model	Weight (lb.)
DC1000 Series	Insert	CDC1000-XL	0.3
	Heavy-Duty Solid	CDC1040-XL	0.3
DC2000 Series	Insert	CDC2000-XL	0.5
	Heavy-Duty Solid	CDC2040-XL	0.6
DC3000 Series	Insert	CDC3000-XL	1.0
	Heavy-Duty Solid	CDC3040-XL	1.4

Available Stocked Material: ● XL Conductive

ESD-Safe Dollies

Model	Inside Dimensions (in)	Container Compatibility	Weight (lb)
DDC3000-CON	21.19 x 16.25	3000 Series	12.6 lbs

Available Stocked Color: ● XL Conductive
Weight capacity: 840 lbs.
Includes drag chain.



Distributed by: Custom Equipment Company
866-333-0728
sales@custommhs.com
www.custommhs.com

ESD-SAFE DIVIDER BOX DIVIDERS

Add flexibility with dividable containers. Slide-in dividers allow instant container configuration. Multi-purpose stack-only LEWISBins+ ESD-Safe Divider Box Containers can be divided into

Divider Box Dividers												
Container Model	Divider Type	Maximum # of Dividers**	Vertical Divider Height (XL denotes conductive)									
			1.9"	2.9"	3.5"	4.3"	4.4"	5.4"	6.4"	7.4"	11.3"	
DC1000 Series	DC1025-XL	Short	7	DV0825								
		Long	5	DV1025								
	DC1035-XL	Short	7	DV0825	DV0835							
		Long	5	DV1025	DV1035							
	DC1050-XL	Short	7	DV0825	DV0835			DV0850				
		Long	5	DV1025	DV1035			DV1050				
DC2000 Series	DC2025-XL	Short	11	DV1025								
		Long	7	DV1625								
	DC2035-XL	Short	11	DV1025	DV1035							
		Long	7	DV1625	DV1635							
	DC2050-XL	Short	11	DV1025	DV1035			DV1050				
		Long	7	DV1625	DV1635			DV1650				
	DC2060-XL	Short	11	DV1025	DV1035			DV1050	DV1060			
		Long	7	DV1625	DV1635			DV1650	DV1660			
	DC2070-XL	Short	11	DV1025	DV1035			DV1050	DV1060	DV1070		
		Long	7	DV1625	DV1635			DV1650	DV1660	DV1670		
DC2080-XL	Short	11	DV1025	DV1035			DV1050	DV1060	DV1070	DV1080		
	Long	7	DV1625	DV1635			DV1650	DV1660	DV1670	DV1680		
DC3000 Series	DC3050-XL	Short	15			DV1735		DV1750				
		Long	11			DV2235		DV2250				
	DC3060-XL	Short	15			DV1735		DV1750	DV1760			
		Long	11			DV2235		DV2250	DV2260			
	DC3080-XL	Short	15			DV1735		DV1750	DV1760		DV1780	
		Long	11			DV2235		DV2250	DV2260		DV2280	
DC3120-XL	Short	15			DV1735		DV1750	DV1760		DV1780	DV17120	
	Long	11			DV2235		DV2250	DV2260		DV2280	DV22120	

Available Stocked Material: ● XL Conductive

** Please order dividers separately.

Black = Partial Height Dividers
Purple = Full Height Dividers

ESD Safe Horizontal Dividers

Model	Fits Divider Box
DH1000-XL*	DC1025, DC1035, DC1050
DH2000-XL*	DC2025, DC2035, DC2050, DC2060, DC2070, DC2080
DH3000-XL*	DC3050, DC3060, DC3080, DC3120

* Available on a make-to-order basis. Please call for more information.




Utilize **Horizontal Dividers** to increase available space for smaller size items by horizontally dividing containers.

Move and protect your product with Dollies and Covers!



XL INSERT COVER

DC1000 Divider Layout



of Divider Slots on Short Side: 5
of Divider Slots on Long Side: 7
Divider compartments are 1.125" square.

DC2000 Divider Layout



of Divider Slots on Short Side: 7
of Divider Slots on Long Side: 11
Divider compartments are 1.125" square.

DC3000 Divider Layout



of Divider Slots on Short Side: 11
of Divider Slots on Long Side: 15
Divider compartments are 1.125" square.



HEAVY DUTY XL SOLID COVER