



MAXX-ERGO

TILTER SERIES

Innovations in Ergonomics



Distributed By: Custom Equipment Company
Tom McGovern, 866-333-0728
Sales: tom@custommhs.com
www.custommhs.com

Maxx-Ergo Tilter Series

Standard Features

The Maxx-Ergo Tilters are designed to tilt containers, tubs, wire baskets, and boxes or anywhere where tilting will allow easier access to retrieving or placing parts into a container. The manual pump tilt is an economical solution to placing the container at the right tilt angle for the best ergonomic solution. With a tilt range of 0-40° and capacity of 2,000-3,000 lbs. the Ergo-Tilter Series can handle most applications.

The base model has a lowered height of 9". The adjustable height base frame has a height adjustment of 18" - 22". Optional caster can be added to either the standard or adjustable height models (adding an additional 7-1/2" to the height). A fixed raised base can be ordered. A 4" lip is standard on all models and custom lips are available. Fork pockets are standard on all models. Contact factory for special applications.

Standard Features

- Tilt Range: 0° - 40°
- Tilt Adjustment 1° per pump
- Dual Pump Levers for easy adjustment
- Manual Lowering control valve
- Side edges to contain load
- Fork Pockets
- 4" Lip on hinged ends
- Capacity 2,000-3,000 lbs

Optional Features

- Adjustable Height Raised Base
- 4" Caster 2 Fixed 2 Swivel
- Fixed Raised Base Frame
- Special Lip Height
- Custom Sizes



9" Lowered Height



Standard Unit



Adjustable Raised Base
(Fixed Raised Base also available)



Shown with Optional Casters

Maxx-Ergo Tilter-Standard Models

Model	Capacity (Lbs.)	Platform Size	Lowered Height	Tilt Angle	Weight Approx.
LPDW-1-20	2,000	24" x 36"	9"	0-40°	150
LPDW-2-20	2,000	32" x 36"	9"	0-40°	165
LPDW-3-20	2,000	38" x 38"	9"	0-40°	180
LPDW-4-20	2,000	42" x 48"	9"	0-40°	190
LPDW-5-20	2,000	50" x 48"	9"	0-40°	200
LPDW-1-25	2,500	24" x 36"	9"	0-40°	160
LPDW-2-25	2,500	32" x 36"	9"	0-40°	175
LPDW-3-25	2,500	38" x 38"	9"	0-40°	190
LPDW-4-25	2,500	42" x 48"	9"	0-40°	210
LPDW-5-25	2,500	50" x 48"	9"	0-40°	215
LPDW-1-30	3,000	24" x 36"	9"	0-40°	165
LPDW-2-30	3,000	32" x 36"	9"	0-40°	180
LPDW-3-30	3,000	38" x 38"	9"	0-40°	195
LPDW-4-30	3,000	42" x 48"	9"	0-40°	215
LPDW-5-30	3,000	50" x 48"	9"	0-40°	220

Maxx-Ergo Tilter-Adjustable Height Models

Model	Capacity (Lbs.)	Platform Size	Adjustable Height	Tilt Angle	Weight Approx.
LPDW-1-20-AH	2,000	24" x 36"	18" - 22"	0-40°	200
LPDW-2-20-AH	2,000	32" x 36"	18" - 22"	0-40°	215
LPDW-3-20-AH	2,000	38" x 38"	18" - 22"	0-40°	230
LPDW-4-20-AH	2,000	42" x 48"	18" - 22"	0-40°	240
LPDW-5-20-AH	2,000	50" x 48"	18" - 22"	0-40°	250
LPDW-1-25-AH	2,500	24" x 36"	18" - 22"	0-40°	210
LPDW-2-25-AH	2,500	32" x 36"	18" - 22"	0-40°	225
LPDW-3-25-AH	2,500	38" x 38"	18" - 22"	0-40°	240
LPDW-4-25-AH	2,500	48" x 48"	18" - 22"	0-40°	260
LPDW-5-25-AH	2,500	50" x 48"	18" - 22"	0-40°	265
LPDW-1-30-AH	3,000	24" x 36"	18" - 22"	0-40°	215
LPDW-2-30-AH	3,000	32" x 36"	18" - 22"	0-40°	230
LPDW-3-30-AH	3,000	38" x 38"	18" - 22"	0-40°	245
LPDW-4-30-AH	3,000	42" x 48"	18" - 22"	0-40°	265
LPDW-5-30-AH	3,000	50" x 48"	18" - 22"	0-40°	270

Options

Casters (add suffix "c" to model number when ordering)

- 2 swivel with brakes, 2 rigid.
- Adds 7-1/2" to lowered height.

For Fixed Height Raise Base contact factory

Distributed By: Custom Equipment Company
Tom McGovern, 866-333-0728
Sales: tom@custommhs.com
www.custommhs.com