DURATOUGH™ CLASSIC & GALVANITE SERIES STEEL CABINETS

DURATOUGH™ ALL-WELDED CABINETS





## Classic and Galvanite<sup>™</sup> Series All-Welded Cabinets







**Ventilated Cabinet** 



**Solid Cabinet** 







# FOR REALLY TOUGH INDUSTRIAL APPLICATIONS







### **DURATOUGH™ CABINETS**

Classic Series cabinets are fabricated from prime grade cold rolled sheet steel.

**Galvanite Series** cabinets are fabricated from galvannealed sheet steel which has a zinc-iron alloy coating that is applied at the mill providing protection against high-humidity and moist environments. This coating also prevents corrosion from spreading when the paint and/or coating is scratched away.

**Heavy-Duty cabinets** are fabricated from 16 gauge sheet steel and are fully-welded creating a rigid, durable unit.

**Extra Heavy-Duty cabinets** are fabricated from 14 gauge steel which is 25% thicker than 16 gauge providing **MAXIMUM** durability.

**Safety-View® Series cabinets** incorporate polycarbonate panels in both doors of our extra heavy-duty Classic Series cabinets allowing contents to be visible without compromising security.

**Ventilated Series** cabinets are fabricated to the same rugged standards as our extra heavy-duty Classic Series cabinets with the added benefit of being fully ventilated with diamond perforated doors and sides and a 13 gauge flattened expanded metal back.



Storage Cabinet



**Combination Cabinet** 



18-gauge full-height door stiffener provides maximum rigidity to both doors



Heavy-Duty 3/16" thick steel handle with padlock hasp.



1/8" thick latch and 3/8" diameter lock rods insure maximum security





### DURATOUGH™ WELDED CABINET ACCESSORIES & FEATURES

# STANDARD FEATURES FOR ALL DURATOUGH™ CLASSIC AND GALVANITE™ SERIES CABINETS

- All-welded construction
- · Double door design
- Solid doors are reinforced with an 18 gauge full-height door stiffener providing a rigid torque-free door.
- 3-point turn handle locking using 3/8" diameter locking rods operated by a 3/16" gauge steel handle. Handle is painted to match cabinet.
- Heavy-duty 13 gauge 7-knuckle 3-1/2" butt hinges welded to door and securely riveted to frame.
  - Solid sides are formed to be integral with vertical door frame.
- Top is formed to be integral with horizontal top door frame.
- Bottom is formed to be integral with horizontal bottom door frame and includes double return bends at all four sides maximizing unit rigidity.

- Back is welded to cabinet top, bottom and sides
- Shelves are formed to provide maximum capacity and are adjustable on 3" centers. Shelves bolt to shelf support channels which are welded to sides.
- 78" high storage cabinets include 4-adjustable shelves
- 60" high storage cabinets include 3-adjustable shelves
- 42" high storage cabinets include 2-adjustable shelves
- 78" high combination cabinets include one full-width upper shelf, a center partition, 3 partial-width shelves and one partialwidth coat rod
- Optional leg kits are available and can be bolted on to all DuraTough cabinets.
- Color: 738 Charcoal

### **DURATOUGH™ CABINET LEG KITS**

Catalog Number	Туре	Width (In)	Depth (In)	Height (In)	Legs Per Kit
HWC4LK-1G-HG HWC4LK-4G-HG	Leg Kit Leg Kit		21 24	4	2 2

Leg kits can be added to any Hallowell DuraTough Cabinet.


Legs are fabricated from galvanneal corrosion resistant steel and are easily bolted to cabinet bottom. Includes hardware for field attachment.




### **DURATOUGH™ CABINET DRAWERS**

Catalog Number	Туре	Width (In)	Depth (In)	Drawer Height
FKSCD36-2CL	2 Drawer	36	24	7.5
FKSCD48-2CL	2 Drawer	48	24	7.5
FKSCD36-3CL	3 Drawer	36	24	5
FKSCD48-3CL	3 Drawer	48	24	5

Note: Drawer units should always be installed into the lower portion of the cabinets to insure stability when opening the drawers. Only one drawer should be opened at a time.









# DURATOUGH™ CLASSIC & GALVANITE SERIES STEEL CABINETS





DURAT	DUGH™ (	CLAS	SIC 9	SERII	S	
Catalog Number	Туре	Width (In)	Depth (ln)	-		
HEAVY-DUTY-10	6 GAUGE				1	
HW6SC6142-2	Storage	36	21	42	2	
HW6SC6160-3	Storage	36	21	60	3	
HW6SC6178-4	Storage	36	21	78	4	
HW6SC6478-4	Storage	36	24	78	4	
HW6SC8460-3	Storage	48	24	60	3	
HW6SC8478-4	Storage	48	24	78	4	
HW6SC0478-4	Storage	60	24	78	4	
HW6CC6478-4	Combination	36	24	78	4	
HW6CC8478-4	Combination	48	24	78	4	
HW6CC0478-4	Combination	60	24	78	4	
ADDITIONAL SH	HELVES, HEA	VY-DU	TY-16 G	SAUGE		
HW6SCS61	Shelf	36	21		1	
HW6SCS64	Shelf	36	24		1	
HW6SCS84	Shelf	48	24		1	
EXTRA HEAVY-	DUTY-14 GAL	JGE				
HW4SC6142-2	Storage	36	21	42	2	
HW4SC6160-3	Storage	36	21	60	3	
HW4SC6178-4	Storage	36	21	78	4	
HW4SC6478-4	Storage	36	24	78	4	
HW4SC8460-3	Storage	48	24	60	3	
HW4SC8478-4	Storage	48	24	78	4	
HW4SC0478-4	Storage	60	24	78	4	
HW4CC6478-4	Combination	36	24	78	4	
HW4CC8478-4	Combination	48	24	78	4	
HW4CC0478-4	Combination	60	24	78	4	
ADDITIONAL SHELVES, HEAVY-DUTY-14 GAUGE						
HW6SCS61	Shelf	36	21		1	
HW6SCS64	Shelf	36	24		1	
HW6SCS84	Shelf	48	24		1	

DURATOUGH™ SAFETY-VIEW®						
Catalog Number	Туре	Width (In)	Depth (In)	Height (In)	No. of Shelves	
HW4SVSC6478-4 HW4SVSC8478-4	Storage Storage	36 48	24 24	78 78	4	

DURATOUGH™ VENTILATED						
Catalog Number	Туре	Width (In)	Depth (In)	Height (In)	No. of Shelves	
HW4VSC6478-4 HW4VSC8478-4	Storage Storage	36 48	24 24	78 78	4 4	

J	DURA	TOU	<b>a</b> :	ТМ		12
					3	57 5
	ORROSI					
C	ALVA	NITE S	ER	IES		
	DURATO	UGH™ G <i>i</i>	ALVA	NITE	SER	IES
			Width	Depth	Height	No. of
С	atalog Number	Type	(ln)	(In)	(ln)	Shelves
Н	EAVY-DUTY-16	6 GAUGE				
Н	IWG6SC6142-2	Storage	36	21	42	2
Н	IWG6SC6160-3	Storage	36	21	60	3
Н	IWG6SC6178-4	Storage	36	21	78	4
Н	IWG6SC6478-4	Storage	36	24	78	4
Н	IWG6SC8460-3	Storage	48	24	60	3
Н	IWG6SC8478-4	Storage	48	24	78	4
Н	IWG6SC0478-4	Storage	60	24	78	4
Н	IWG6CC6478-4	Combination	36	24	78	4
Н	IWG6CC8478-4	Combination	48	24	78	4
Н	IWG6CC0478-4	Combination	60	24	78	4
ΑI	DDITIONAL SH	HELVES, HEA	VY-DU	TY-16 G	AUGE	
	HWG6SCS61	Shelf	36	21		1
	HWG6SCS64	Shelf	36	24		1
	HWG6SCS84	Shelf	48	24		1
E)	XTRA HEAVY-I	DUTY-14 GAL	JGE			
Н	IWG4SC6142-2	Storage	36	21	42	2
Н	IWG4SC6160-3	Storage	36	21	60	3
Н	IWG4SC6178-4	Storage	36	21	78	4
Н	IWG4SC6478-4	Storage	36	24	78	4
Н	IWG4SC8460-3	Storage	48	24	60	3
Н	IWG4SC8478-4	Storage	48	24	78	4
Н	IWG4SC0478-4	Storage	60	24	78	4
Н	IWG4CC6478-4	Combination	36	24	78	4
Н	IWG4CC8478-4	Combination	48	24	78	4
Н	IWG4CC0478-4	Combination	60	24	78	4
Al	DDITIONAL SH	HELVES, HEA	VY-DU	TY-14 C	AUGE	
	HWG6SCS61	Shelf	36	21		1
	HWG6SCS64	Shelf	36	24		1

Distributed by: Custom Equipment Company 866-333-0728 sales@custommhs.com www.custommhs.com

48

24

Shelf





HWG6SCS84