

# Amherst (AM) Series

advantage: adaptability | use: clean room, static control/ESD, various workspaces

The Amherst (AM) Series features a larger saddle-shaped seat and backrest to enhance user performance. A variety of options are available to suit your work environment, including clean room and static control/ESD performance packages. 13-year warranty.



- Cloth and vinyl upholstery styles available to match various workspace requirements.
- Saddle-shaped, contoured seat with waterfall front and internal seat board bumperguard.
- Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option (not available in California).
- Black powder-coated paint finish standard on metal parts.
- Pneumatics are available to provide low, medium and high seat height ranges to accommodate many task requirements.
- High-profile Euro-look base with T-shape construction for added strength and easy cleanability.
- Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing workplace safety by inhibiting seating from rolling away.

Shown here:  
**Amherst Series**  
 with **A base**,  
 optional  
 adjustable-height  
 ATF footring,  
 medium seat  
 height range

### Amherst Series | Standard Components

21"W x 19"D x 3"T seat, 18"W x 19"H backrest with lumbar support and plastic protective panel, soft touch pneumatic seat height adjustment; fixed rearward 3.5° seat tilt, backrest tilt and backrest height adjustment, grade 2 upholstery

#### Models with tubular steel base

Model#	Seat-Hgt.	Compatibility
AMS-L-RC-T-XF-XA-06	Low, 18"-22"	Desk
AMS-M-RC-T-XF-XA-06	Medium, 21"-28"	Standard Bench
AMS-H-RC-T-XF-XA-06	High, 25"-32"	High Bench

#### Models with cast aluminum base

Model#	Seat-Hgt.	Compatibility
AMA-L-RC-T-XF-XA-06	Low, 17"-22"	Desk
AMA-M-RC-T-XF-XA-06	Medium, 19"-26"	Standard Bench
AMA-H-RC-T-XF-XA-06	High, 22"-32"	High Bench

#### Models with reinforced composite base

Model#	Seat-Hgt.	Compatibility
AMR-L-RC-T-XF-XA-06	Low, 17"-22"	Desk
AMR-M-RC-T-XF-XA-06	Medium, 19"-26"	Standard Bench
AMR-H-RC-T-XF-XA-06	High, 22"-32"	High Bench

#### Models with wide aluminum base

Model#	Seat-Hgt.	Compatibility
AMW-L-RC-T-XF-XA-06	Low, 17"-22"	Desk
AMW-M-RC-T-XF-XA-06	Medium, 19"-26"	Standard Bench
AMW-H-RC-T-XF-XA-06	High, 22"-32"	High Bench

Ask about special and custom orders.

**⚠ WARNING:** This product can expose you to chemicals including wood dust, which is known to the State of California to cause cancer. For more information go to



- 23" diameter tubular steel (S style) base with 21" diameter affixed footring.



- 25.6" diameter, high-profile cast aluminum (A style) base.



- 25.6" diameter, high-profile reinforced composite (R style) base.



- 28.7" diameter, high-profile wide aluminum (W style) base.

optional components		
Component	MFG Code	Description
Armrest	ARS	Height/width adjustable with self-skinned urethane pads <i>(not available with ISO 3 or 4 performance packages)</i>
	PSAS	Height adjustable with self-skinned urethane pads
Seat Control	FFAC	Free float articulating: pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently via separate levers, and can free float or lock into place; seat can tilt forward ISO 5 performance package configurations
	EXE	Executive tilt: pneumatic seat- and backrest-height adjustment; backrest tilt, seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position <i>(only available on models with maximum seat height of 26" or less)</i>
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard Task, FFAC or EXE controls <i>(Available with Task control and R or A base in low height only; available with Task Control and W base in all seat heights; not available on S style base; available with EXE control and W base only in low and medium heights, clean room models ISO 6 or higher)</i>
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever <i>(only available on ISO 3 and ISO 4 clean room models without arms)</i>
Footring	AFP	Adjustable height, 22" diameter, oval tube construction, solid polished cast aluminum spoke <i>(recommended for medium and high height models with A, W or R bases, adjusts easily without knobs/levers; not available with low height models or S style base units)</i>
	ATF	Adjustable height, 20" diameter, cast aluminum <i>(recommended for medium and high height models with A, W or R bases, not available with low height models or S style base units)</i>
Glides	HG	2" high polyamide glides
Casters	RC	Hooded dual-wheel, non-marring resistance casters, resist movement when seat is unoccupied – standard on most models
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; resist movement when seat is unoccupied <i>(standard with ESD performance packages)</i>
Miscellaneous	SW	Skid wrapping, net cost per pallet
	VU	Upholstered underwrap to match seat upholstery
	FM	Memory Foam

upholstery	
MFG Code	Description
COM	Customer's own material
Grade 2	Comes standard on upholstered models unless otherwise noted
Grade 3	Grade 3 upholstery
Grade 4	Grade 4 upholstery
Grade 5	Grade 5 upholstery
C133	Fire Retardant. Special upholsteries, foam or barriers <i>(as needed to meet California Technical Bulletin 133 &amp; Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered); not available in California</i>

performance packages		
Category	Class	MFG Code
ESD	—*	K
Clean Room	ISO 8**	ISO8
	ISO 7**	ISO7
	ISO 6	ISO6
	ISO 5	ISO5
	ISO 4*	ISO4
	ISO 3*	ISO3
Clean Room/ESD	ISO 8/ESD*	ISO8K
	ISO 7/ESD*	ISO7K
	ISO 6/ESD*	ISO6K
	ISO 5/ESD*	ISO5K
	ISO 4/ESD*	ISO4K
	ISO 3/ESD*	ISO3K
Standard black metal part finish	—	06
Chrome-plated metal parts, chairs w/A, W, R base	—	C
Chrome-plated metal parts, chairs w/S base	—	C

\*Not available with R style base.  
\*\*Comes standard with black powder coat metal finish.

