



## High Capacity Storage Cabinet with Pegboard Doors

### 1500 lbs. Shelf Capacity

- All-welded construction
- 12 gauge steel cabinet
- Built-in 16 gauge steel pegboard panels on doors
- Doors open a full 180 degrees
- Pegboards have round holes on 1" centers
- Available with two or three adjustable 14 gauge steel shelves
- Shelves adjustable in 3-1/2" increments
- Doors have three-point locking system
- Overall height: 78"
- Powder coated gray finish
- Footpads with 5/8" lag holes

Interior D x W	2 Adj. Shelves		3 Adj. Shelves	
	Model No.	Wt.	Model No.	Wt.
24 x 48	SSL2-A-2448-PBD	531	SSL3-A-2448-PBD	561
24 x 60	SSL2-A-2460-PBD	612	SSL3-A-2460-PBD	649
30 x 48	SSL2-A-3048-PBD	593	SSL3-A-3048-PBD	630
30 x 60	SSL2-A-3060-PBD	682	SSL3-A-3060-PBD	728



Model  
SSL2-A-2448-PBD

## High Capacity Storage Bin Cabinet

- 12 gauge steel cabinet
- Built-in 16 gauge steel louvered panels on back and doors
- Doors open a full 180 degrees
- Doors have three-point locking system
- Overall height: 78"
- 5-1/2" underclearance for transport by pallet truck or fork lift
- Powder coated gray finish
- All-welded construction

Interior D x W	Model No.	Wt.	Louvered Panel Dimensions	
			Door W x H	Cabinet Back W x H
24 x 48	SSL-LP-2448-LPD	557	18 x 60	48 x 72
24 x 60	SSL-LP-2460-LPD	667	18 x 60	60 x 72
30 x 48	SSL-LP-3048-LPD	613	18 x 60	48 x 72
30 x 60	SSL-LP-3060-LPD	731	18 x 60	60 x 72



Model  
SSL-LP-2448-LPD





2 Adjustable Shelves  
Model  
SSL2-A-2448

## High Capacity Storage Cabinet

### 1500 lbs. Shelf Capacity

- 12 gauge steel cabinet
- All-welded construction
- Doors have three-point latching system with keyed handle
- 14 gauge steel shelves
- Adjustable shelves in 3-1/2" increments
- Flush doors open a full 180 degrees
- Overall height: 78"
- 5-1/2" underclearance for transport by pallet truck or fork lift
- Footpads with 5/8" lag holes

Interior D x W	2 Adj. Shelves		3 Adj. Shelves		4 Adj. Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SSL2-A-2448	446	SSL3-A-2448	476	SSL4-A-2448	506
24 x 60	SSL2-A-2460	527	SSL3-A-2460	564	SSL4-A-2460	601
30 x 48	SSL2-A-3048	502	SSL3-A-3048	539	SSL4-A-3048	576
30 x 60	SSL2-A-3060	591	SSL3-A-3060	637	SSL4-A-3060	683

### Additional Shelves

- 1500 lbs. Capacity per shelf

Interior D x W	Model No.	Wt.
24 x 48	SHLF-2247-SSL	43
24 x 60	SHLF-2259-SSL	53
30 x 48	SHLF-2847-SSL	53
30 x 60	SHLF-2859-SSL	65



Model  
SSL2C-2448

## "Two-Compartment" Heavy-Duty Security Cabinet

### 1500 lbs. Capacity

- Dual locking compartments
- 12 gauge steel construction
- Doors have two-point latching system with keyed handle
- Each door is keyed differently
- Two center shelves
- Doors open a full 180 degrees
- Overall height: 78"
- 5-1/2" underclearance for transport by pallet truck or fork lift
- All-welded construction
- Powder coated gray finish

Overall D x W	Shelf D x W	Model No.	Wt.
24 x 48	21-3/4 x 24	SSL2C-2448	446
24 x 60	21-3/4 x 30	SSL2C-2460	527
30 x 48	27-3/4 x 24	SSL2C-3048	504
30 x 60	27-3/4 x 30	SSL2C-3060	593

For More Information: 866-333-0728  
Custom Equipment Company  
sales@customMhs.com  
www.customMhs.com

## High Visibility Storage Cabinet

1500 lbs. Shelf Capacity

- Diamond shaped perforated doors
- Doors have three-point locking system with keyed handle
- 14 gauge steel shelves
- Adjustable shelves in 3-1/2" increments
- Doors open a full 180 degrees
- Overall height: 78"
- 5-1/2" underclearance for transport by pallet truck or fork lift
- All-welded construction
- Footpads with 5/8" lag holes

Interior D x W	2 Adj. Shelves		3 Adj. Shelves		4 Adj. Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SSLP2-A-2448	437	SSLP3-A-2448	467	SSLP4-A-2448	497
24 x 60	SSLP2-A-2460	518	SSLP3-A-2460	555	SSLP4-A-2460	592
30 x 48	SSLP2-A-3048	493	SSLP3-A-3048	530	SSLP4-A-3048	567
30 x 60	SSLP2-A-3060	582	SSLP3-A-3060	628	SSLP4-A-3060	674



Model  
SSLP2-A-2448

## Heavy-Duty Ventilated Cabinet

1500 lbs. Shelf Capacity

- 14 gauge steel cabinet
- Diamond shaped perforated doors
- Expanded metal back provides complete ventilation and visibility
- 14 gauge steel shelves
- Adjustable shelves in 3-1/2" increments
- Doors open a full 180 degrees
- Overall height: 78"
- 5-1/2" underclearance for transport by pallet truck or fork lift
- All-welded construction
- Footpads with 5/8" lag holes

Interior D x W	2 Adj. Shelves		3 Adj. Shelves		4 Adj. Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 48	SSLP2-A-2448-VB	387	SSLP3-A-2448-VB	417	SSLP4-A-2448-VB	447
24 x 60	SSLP2-A-2460-VB	468	SSLP3-A-2460-VB	505	SSLP4-A-2460-VB	542
30 x 48	SSLP2-A-3048-VB	443	SSLP3-A-3048-VB	480	SSLP4-A-3048-VB	517
30 x 60	SSLP2-A-3060-VB	532	SSLP3-A-3060-VB	578	SSLP4-A-3060-VB	624



Model  
SSLP3-A-2448-VB





**Model  
HC2-36**

## Welded Steel Wall Storage Cabinet

- All-welded construction
- 14 gauge steel cabinet
- Available with center shelf, 16 gauge pegboard panel, or louvered back panel
- Mounting holes on 4" centers at top and bottom
- Doors open 180 degrees
- Doors have three-point locking system with keyed handle
- Powder coated gray finish
- Ships fully assembled, ready for immediate use

Overall D x W x H	Center Shelf		Pegboard Panel		Louvered Panel	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
10 x 36 x 24	HC2-36	97	HC-36-PB	103	HC-36-LP	103
10 x 48 x 24	HC2-48	119	HC-48-PB	128	HC-48-LP	128



**Model  
HC-36-PB**



**Model  
ESH-2436-3A**

## Welded Steel Adjustable Shelving

### 1500 lbs. Shelf Capacity

- Three adjustable 14 gauge center shelves
- Shelves adjustable on 6" centers
- Available in 36", 48", and 60" widths
- Overall height: 72"
- Heavy-duty construction
- Powder coated gray finish

Overall D x W x H	Model No.	Wt.
24-1/2 x 36-1/4 x 72	ESH-2436-3A	291
24-1/2 x 48-1/4 x 72	ESH-2448-3A	344
24-1/2 x 60-1/4 x 72	ESH-2460-3A	397

**For More Information: 866-333-0728**  
**Custom Equipment Company**  
[sales@customMhs.com](mailto:sales@customMhs.com)  
[www.customMhs.com](http://www.customMhs.com)