# **Cardboard Carton & Divider Trucks**

## Models CS, CP, DG - Heavy duty divider trucks

1,200 LB CAP.\* (\*800 lb. with T5 casters)



Model CS Shown

1,200 LB CAP.\* (\*800 lb. with T5 casters)



Model CP Shown

1,800 LB CAP.\* (\*1,200 lb with full pneumatic casters)



Model DG Shown

#### **Product Features:**

- All welded construction (except casters, removable handles and rails).
- Durable 12 gauge steel platforms, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend.
- Sockets are 6" apart. NOTE: Side sockets add 3" to truck width.
- · Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Platform deck height: 9", Model CP has 45" second level.
- 1-1/2" platform lips down for flush load and unload.
- · Powder coated gray finish.

#### Other Specifications:

### Models CS & CP:

- 1 1/2" angle end frames are 3/16" thick
- 1" removable tubular divider rails 26" high

Number of Rails (Model CS has 1 level, Model CP has 2 levels)

48" length cart (3 per level)

60" length cart (4 per level)

72" length cart (5 per level)

- Clearance between shelves 34" (Model CP only)
- Overall height:
  - Model CS 34", (38" with 8" casters)
  - Model CP 70", (74" with 8" casters)

#### Model DG:

• 1-1/4" removable tubular divider rails - 36" high

Number of Rails

8 - on a 48" length cart

10 - on a 60" length cart

12 - on a 72" length cart

- Removable handle 30" high.
- Overall height 45", (49" with 8" casters).

#### Options:

- 2 wheel brakes on swivel casters Code B5, B7 or BN
- All swivel casters Code AS
- Floor lock Code F5, F7 or FN

### Model CS - Single Level Cardboard Carton Truck

WxL	5" Casters Models				8" Full Pneumatic		
(in)	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)	
24 x 48	CS248-U5	CS248-T5	CS248-L5	112	CS248-N8	136	
60	CS260-U5	CS260-T5	CS260-L5	128	CS260-N8	152	
72	CS272-U5	CS272-T5	CS272-L5	144	CS272-N8	168	

#### Model CP - Two Level Cardboard Carton Truck

WxL	5" Casters Models				8" Full Pneumatic		
(in)	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)	
24 x 48	CP248-U5	CP248-T5	CP248-L5	190	CP248-N8	214	
60	CP260-U5	CP260-T5	CP260-L5	218	CP260-N8	242	
72	CP272-U5	CP272-T5	CP272-L5	250	CP272-N8	274	

### Model DG - Adjustable Dividers On 6" Centers

WxL	5" Casters Models				8" Full Pneumatic		
(in)	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)	
24 x 48	DG248-P7	DG248-R7	DG248-U7	188	DG248-N8	212	
60	DG260-P7	DG260-R7	DG260-U7	224	DG260-N8	248	
72	DG272-P7	DG272-R7	DG272-U7	262	DG272-N8	286	
30 x 48	DG348-P7	DG348-R7	DG348-U7	200	DG348-N8	224	
60	DG360-P7	DG360-R7	DG360-U7	240	DG360-N8	264	
72	DG372-P7	DG372-R7	DG372-U7	280	DG372-N8	304	
36 x 48	DG448-P7	DG448-R7	DG448-U7	220	DG448-N8	242	
60	DG460-P7	DG460-R7	DG460-U7	264	DG460-N8	288	
72	DG472-P7	DG472-R7	DG472-U7	310	DG472-N8	334	

## **Casters For Steel Carts**

Jamco carts offer unique twin-hole pattern caster mounts that will accept casters with 1-3/4"  $\times$  3"  $\times$  3" bolt hole patterns (unless otherwise noted).

### **Wheel Characteristics**

- Phenolic
- Rubber
- Polyurethane
- Thermorubber
- · Steel (semi)
- Full Pneumatic
- Semi Pneumatic

#### **Brakes**

Code

N8

N1

**Z8** 

**Code** 

MP

MS

Size (in)

8 x 3

12 x 4

Size (in)

8 x 2-1/2

8 x 2-1/2

8 x 3

Pattern (in)

Pattern (in)

3 x 3

3 x 3

3 x 3

3 x 3

3 x 3

**Duty Series** 

- Wing Brakes (Toe)
- Floor Lock

- Best rollability, high strength, hardest material.
- Best if floor has debris, quieter roll.
- Best if floor conditions vary, non-marking.
- Gray non-marking, soft rubber for quietest roll and best floor protection.
- High shock and impact resistant.
- Absorbs shock and vibration, quiet movement, best for uneven floors or transporting over ridges in floors or mezzazines. Requires periodic maintenance.
- Same as full pneumatic without maintenance of air.
- On swivel casters only, must be ordered with caster.
- Mount is welded in place, makes models not returnable.

### Floor Lock



4 Series





Urethane Thermorubber 5 Series





Urethane Thermorubbe



Steel 7, 6, & 8 Series





Phenolic Mold Or Rubber





Urethane

Thermorubber



Steel N Series





Full Pneumatic

Semi Pneumatic

Mill Duty Series





Phenolic

Steel

• FIOUI LOCK		- Mount is weld	- Mount is welded in place, makes models not returnable.					
4.5	eries—							
	01100	<b>Bolt Hole</b>			Capacity	Floor	<b>Brake</b>	
<u>Code</u>	Size (in)	Pattern (in)	Wheel Material	<b>Bearing</b>	(set of 4)	<b>Locks</b>	<b>Locks</b>	
U4	4 x 1-1/4	1-3/4 x 3	Polyurethane	Ball	1.200 lbs	N/A	B4	
T4	4 x 1-1/4	1-3/4 x 3	Thermorubber	Ball	800 lbs	N/A	B4	
5 Series———————————————————————————————————								
5 0		Bolt Hole			Capacity	Floor	Brake	
<u>Code</u>	Size (in)	Pattern (in)	Wheel Material	<b>Bearing</b>	<u>(set of 4)</u>	<b>Locks</b>	<b>Locks</b>	
U5	5 x 1-1/4	1-3/4 x 3	Polyurethane	Ball	1,200 lbs	F5	B5	
T5	5 x 1-1/4	1-3/4 x 3	Thermorubber	Ball	800 lbs	F5	B5	
L5	5 x 1-1/4	1-3/4 x 3	Steel (semi)	Plain	1,200 lbs	F5	B5	
7 S	eries—		,		,			
, ,		<b>Bolt Hole</b>			Capacity	Floor	Brake	
<u>Code</u>	Size (in)	Pattern (in)	Wheel Material	<b>Bearing</b>	<u>(set of 4)</u>	<b>Locks</b>	<b>Locks</b>	
P7	5 x 2	3 x 3	Phenolic	Roller	4,000 lbs	F7	B7	
R7	5 x 2	3 x 3	Rubber (Mold-on)	Roller	1,800 lbs	F7	B7	
U7	5 x 2	3 x 3	Polyurethane	Roller	3,000 lbs	F7	B7	
T7	5 x 2	3 x 3	Thermorubber	Roller	2,000 lbs	F7	B7	
L7	5 x 2	3 x 3	Steel (semi)	Roller	4,000 lbs	F7	B7	
6 Series								
		Bolt Hole			Capacity	Floor	Brake	
<u>Code</u>	Size (in)	Pattern (in)	Wheel Material	<u>Bearing</u>	(set of 4)	<u>Locks</u>	<u>Locks</u>	
P6	6 x 2	3 x 3	Phenolic	Roller	4,800 lbs	F6	B6	
R6	6 x 2	3 x 3	Rubber (Mold-on)	Roller	2,000 lbs	F6	B6	
U6	6 x 2	3 x 3	Polyurethane	Roller	3,600 lbs	F6	B6	
T6	6 x 2	3 x 3	Thermorubber	Roller	2,200 lbs	F6	B6	
L6	6 x 2	3 x 3	Steel (semi)	Roller	4,000 lbs	F6	B6	
8 Series — The ser								
		Bolt Hole	Wheel Meterial	Desilve	Capacity	Floor	Brake	
Code	Size (in)	Pattern (in)	Wheel Material	Bearing	(set of 4)	<u>Locks</u>	<u>Locks</u>	
P8	8 x 2	3 x 3	Phenolic	Roller	4,800 lbs	F8	B8	
R8	8 x 2	3 x 3	Rubber (Mold-on)	Roller	2,400 lbs	F8	B8	
U8	8 x 2	3 x 3	Polyurethane	Roller	3,800 lbs	F8	B8	
T8	8 x 2	3 x 3	Thermorubber	Roller	2,400 lbs	F8	B8	
L8	8 x 2	3 x 3	Steel (semi)	Roller	4,000 lbs	F8	B8	
N Series —							Dueles	
		<b>Bolt Hole</b>			Capacity	Floor	Brake	

**Wheel Material** 

**Full Pneumatic** 

**Full Pneumatic** 

**Wheel Material** 

Phenolic

Steel

Semi Pneumatic

**Bearing** 

**Bearing** 

Roller

Ball

Ball

Ball

Ball

(set of 4)

1,200 lbs

2,200 lbs

2.000 lbs

Capacity

(set of 4)

7,000 lbs

7,000 lbs

**Locks** 

FN

N/A

F8

Floor

**Locks** 

ML

ML

**Locks** 

BN

N/A

BN

**Brake** 

**Locks** 

BM

BM